

a

absolute pressure scale	5/2, 5, 6
absolute rating	
depth element	15/6, 7
description	15/6
surface element	15/6
absorbing shock	8/7, 8
ac current	10/6
ac hum	10/6
accelerating liquid	
pump inlet	5/2, 8
acid formation	3/12, 13
accumulator	
absorbing shock	8/7, 8
adiabatic operation	8/8-10
air-oil vapor	8/5
application	8/6-8
bladder type	8/6
charging	8/14
description	8/3
developing flow	8/6
diaphragm type	8/5
differential unloading relief valve	8/16
gas	8/5
hydro-pneumatic	8/5-8
isothermal operation	8/8-10
maintaining pressure	8/6, 7
piston type	8/5
precharge	8/10-15
pump unloading	8/15,11/7
safety bleed	10/12
spring-loaded	8/4,5
types	8/3
usable volume	8/10-12
accuracy	
bourdon tube pressure gage	2/3
actuator	
cylinder	6/1,2,5,6,8/17-38
function	6/1,8/17
hydraulic motor	6/3,4,14/1-20
linear	6/1,6,8/17-38
rack and pinion	6/7
rotary	6/1,3,6-8,14/1-20
scotch yoke	6/7
speed control	7/3,4
sprocket type	6/8

adiabatic operation

accumulator	8/8-10
-------------------	--------

adjustment

cylinder stroke	8/19
pilot operated pressure control valve	12/5, 6
pressure control valve	11/1
remote pilot	12/4
spring-loaded accumulator	8/4,5

adding water

water base fluid	4/2, 10
------------------------	---------

additive

anti-foam	3/14
antiwear	3/9, 10
extreme pressure	3/10
mixing	3/9-12
oil	3/9-11
r&o inhibitors	3/13, 14
wear resistant	3/9, 10

adhesion

fluid	3/3
-------------	-----

air

cooler	15/2
bubbles	3/9, 14, 5/4, 5, 8, 8/5
dissolved	3/14, 5/4, 5
entrained	5/5, 8
release	3/14
retention	4/8, 9

air bound

pump	5/8, 9
------------	--------

air gap solenoid

ac hum	10/6
blockage	10/9
c frame	10/4, 6, 7
continuous duty	10/8
ct	10/4
description	10/4
eddy currents	10/6, 7
high ambient temperature	10/10
impedance	10/7
inrush current	10/7-8
laminations	10/7
low voltage	10/10
manual override	10/10, 11
shading coils	10/6
t plunger	10/4
wear pattern	10/9

chapter / page#

allowable vacuum
suction line 5/7

angled vane
vane pump 13/4

annulus area 8/21

anti-foam additives 3/14

anti-wear additives 3/9

area of circle 6/2

armature
solenoid 10/5, 6

astm viscosity-temperature
chart 3/7, 8

atomizing oil 4/1

atmosphere
contamination 5/9
pressure measurement 5/1, 2
pump relationship 5/1
pump suction side 5/2
standard 5/1

atmospheric pressure
above sea level 15/1
boiling relationship 5/4
dissolved air effect 5/4, 5
measuring 5/1, 2
suction side use 5/2
unit of measure 5/2

automatic safety bleed
accumulator 8/13

axial piston
pump 13/11-15
motor 14/6

b

back pressure
check valve 8/39, 10/24, 25
cylinder 8/26
hydraulic motor 14/7-9

bacteria formation
invert emulsion 4/4, 5

baffle
reservoir 14

baffling
fluid 15/1

balanced vane
motor 142
pump 13/ 2

barometer 5/1

barometric pressure
boiling relationship 5/4
dissolved air effect 5/4, 5

bent-axis piston pump 13/7

bi-directional hydraulic motor 14/1

bladder type accumulator 8/6

bleed-off circuit 9/13

boiling
liquid 5/4

bolt mounting
cylinder 8/19

bourdon tube pressure gage 2/3

brake valve
application 11/9, 14/8, 20
description 11/8
drain 11/10

braking relief valve 14/20-22

breakaway torque 14/11, 12

breather cap
contamination 15/9

bubbles
air 3/11, 5/4, 6, 8
vapor 5/3-5, 7

bushing
rod gland 8/17, 20

buzzing
solenoid 10/6

bypass
filter 15/12, 13

bypass type pressure
 compensated flow control9/8, 9, 14

c

c-frame 10/4, 6, 7

c-stack 10/7

cam operated directional valve 10/26

cartridge assembly

vane motor 14/2

vane pump 13/2

case drain

pressured compensated pump 13/4

catalyst

oxidation 3/10-13

cavitation

avoidance 5/8

cause 5/3

effects 5/3

indication 5/8

motor 14/8

pseudo-cavitation 5/5

pump 5/3

cavity

collapse 5/3

formation 5/3

center conditions

directional valve 10/12-17

chamfered vane

vane pump 13/3

charging accumulator 8/14

chattering

solenoid 10/6

check

bacteria formation 4/5

cavitation 5/8

dirt in oil 3/15, 16

element cleanliness 3/17

entrained air 5/5

foaming 3/14

gas precharge 8/13-15

high pressure lubrication 3/9

oil oxidation 3/10-12

phase separation 4/4, 5

piston seal leakage 8/33-36

pump leakage 14/7, 16, 17

suction line leak 5/5

transferring fluid 3/16, 4/9

water contamination 3/12, 13

check valve

application 8/1-3

back pressure 8/39, 10/24, 25

bypass 8/1

cylinder 8/2

description 8/1

directional valve 8/1, 2

free flow 8/1

isolator 8/1

leakage 8/2

make-up 14/8

operation 8/1

pilot operated 8/2, 3, 39

pressure control valve 8/1-3

chemical energy 1/2

choke control

directional valve 10/20,21

churning

fluid 3/11

circle area 6/2

clean fluid 15/3

cleaning

wire mesh element 3/17

clearance

component 3/6, 7

flow 3/6, 7

clevis mounting

cylinder 8/19

closed center

directional valve 10/13-15

closed loop hydrostatic

drive 14/9

transmission 14/10

combination pump 13/20

compatibility

additive 3/9-16

fire resistant fluid 4/9

compressed air	
hydro-pneumatic accumulator	8/5
compression	
adiabatic	8/8-10
isothermal	8/8-10
condensation	
description	5/4
reservoir	15/8
conservation of energy	1/2
contamination	
atmosphere	15/9
breather cap	15/9
maintenance practices	15/8
moving parts	15/8
new components	15/7, 8
oil	3/9
pump particles	5/3
reservoir	15/1, 7, 8
rod wiper seal	15/9
settling out	15/1
shock pressures	15/8
system	15/3-5, 7-9
continuous duty solenoid	10/8
control	
choke	10/20, 21
lunge	9/12
non-jump	9/14
control valve	
directional	7/3, 10/1-32
flow	9/1-14
pressure	7/1, 2, 11/1-10, 12/1-13
coolers	15/2
cooling	
dirt interference	15/3, 4
fluid	15/1
corrosion inhibitors	3/13
counterbalance valve	
application	11/2
description	11/2
drain	11/6
pilot operated	12/3
remote adjustment	12/4
remotely operated	11/7, 8

creep	
rod	10/15
crossover conditions	
directional valve	10/17, 18
crossover relief valve	14/9
cushion	
cylinder	8/18, 19
sleeve	8/19
spear	8/19
cylinder	
annulus area	8/ 21
application	8/20-39
bolt mounting	8/19
bore	6/1
cap	8/17
clevis mounting	8/19
common types	8/20, 21
construction	6/1, 8/17
cushion	8/18, 19
description	8/19
differential	8/37
double-acting	7/2, 8/21
double rod	8/20, 30
duplex	8/28, 29
effective area	8/21
flange mounting	8/19
force	6/1-2, 8/24-28
function	6/1, 8/17
head	8/17
horsepower	6/5, 6
industrial	8/21
load types	8/19, 20
locking load	8/3
major area	8/21
mechanical position	8/28
minor area	8/21
mounting styles	8/19
operation	6/1, 8/17
piston area	6/2, 8/21
ram	10/2
rapid advance	8/13, 16, 17, 31
regeneration	8/30-32
rod deceleration	8/39
rod gland	8/17
rod sag	8/20
rod speed	2/3, 8, 8/22-26
seals	8/18
shock	8/18
single-acting	8/20
single rod	8/20
spring return	10/2
stop tube	8/20
stroke	6/2

stroke adjusters	8/19	check valve	8/1, 2
suspending load	8/2	choke control	10/20, 21
synchronization	8/33	closed center	10/13-15
tandem	8/21, 27, 28	crossover conditions	10/17, 18
telescoping	8/21	description	10/1
tension load	8/19, 20	detents	10/12
3-position capability	8/29	drains	10/21, 22
thrust load	8/19, 20	external pilot	10/22
tie rod mounting	8/19	float center	10/17
trunnion mounting	8/19		
2:1	18/30-32	dirt	
volume	6/2	contamination	3/9, 15, 16
		retention	4/9
		settling	4/9
		sources	3/15, 16
		dissolved air	5/4, 5
		double	
		acting cylinder	8/21
		pump	13/4
		rod cylinder	8/20
		drain	
		case	13/4
		directional valve	10/21, 22
		external	11/6, 7
		internal	11/6
		motor	14/1
		pilot operated check valve	8/2, 39
		pilot operated relief valve	12/1-3
		pressure centered	
		directional valve	10/21, 22
		pressure valve	11/6, 7
		rod gland	8/17
		drift	
		rod	10/15
		drive	
		hydrostatic	14/9
		droop	
		pressure reducing valve	11/6
		drop	
		pressure	2/9
		dual vane	
		vane pump	13/3
		dumping	
		relief valve	11/10
		duplex cylinder	8/21

e

efficiency
 overall 13/19, 20
 volumetric 13/19

elbow
 heat generation 2/9

electric motors vs. hydraulic motors 14/10

electrical energy
 description 1/2, 3, 7
 mechanical energy conversion 1/7
 transmission 1/7

electrohydraulic directional flow control valves
 filtration requirement 10/27,28
 hysteresis 10/27
 proportional 10/26-29
 propotional vs. servo 10/26
 repeatability 10/27
 servo 10/26-30
 spool center condition 10/27
 threshold 10/27

element
 wire mesh 3/17

emulsion
 invert 4/3-7
 viscosity 4/2, 3
 water-oil 4/2, 3

energy
 chemical 1/2
 conservation 1/2
 control 7/1
 definition 1/2
 electrical 1/2, 3
 forms 1/2-6
 heat 1/2, 3
 hydraulic 1/7
 inertia 1/2
 kinetic 1/2, 3
 light 1/2,3
 mechanical 1/2, 3
 molecular 2/1
 pneumatic 1/7
 potential 1/3, 2/6, 6/7, 7/2, 4
 sound 1/2, 3
 states 1/3
 stored 1/3
 transmission 1/6, 7, 2/ 5
 working: see working energy

entrained air
 description 5/5, 8
 escape 15/8

erosion 15/8

erratic
 pilot pressure 5/3
 system operation 5/3

evaporation
 description 5/4
 water base fluid 4/2

expansion
 adiabatic 8/8-10
 isothermal 8/8-10

external drain
 directional valve 10/22
 pressure valve 11/6, 7

external gear
 motor 14/4
 pump 13/5

external pilot
 directional valve 10/22

extreme pressure additives 3/10

f

filter bypass valve 15/12, 13

filter element
 absolute rating 15/6, 7
 collapse 15/13
 condition 15/13
 depth type 15/5
 description 15/5
 nominal rating 15/5, 6
 ratings in practice 15/7
 surface type 15/6

filter indicator 15/13, 14

filter maintenance 15/14

filtration
 full flow 15/9, 10
 pressure 15/11, 12
 proportional flow 15/9

return line	15/12	description	7/4, 9/1
suction	15/11	meter-in circuit	9/12, 13
sump strainer	15/10	meter-out circuit	9/13
fire resistant fluid	4/9	non-jump control	9/14
filter		operation	7/4, 9/1
indicator	3/15, 16, 15/13, 14	orifice	9/1, 2, 10, 11
plugging	3/15	pressure compensated	9/5-10
pressure	15/11	priority flow divider	9/9-14
return line	15/12	relief valve relationship	7/4
servicing	15/14	reverse flow	9/14
suction	15/11		
wire mesh	3/17	flow	
flapper nozzle	10/30	resistance	2/8
fire point	4/2, 7	flow rate	
fire resistant fluid		definition	2/8
air retention	4/8, 9	unit of measure	2/8
auto ignition temperature	4/2	velocity relationship	2/8, 9
changing fluid	4/8, 9	fluid	
compatibility	4/8	additives	3/9, 10
dirt retention	4/9	adhesion	3/3
filtration	4/9	bypass	3/16
fire point	4/2-7	changing direction	2/9
flash point	4/1-2	churning	3/11, 14
foaming	4/8-9	cleanliness	15/3
lubricity	4/6	cooling	15/2
maintenance considerations	4/9, 10	film	3/2
storage	4/9	fire resistant	4/1
synthetic	4/7, 8	foaming	3/14, 15, 4/8, 9
transferring	4/9	friction	1/1
water base	4/2	functions	3/3, 15/3
flash point	4/1	head	5/9
flatness		inertia	8/7
directional control valve	10/9	indicator	3/15
float center	10/17	invert emulsion	4/3-7
fixed orifice	9/2	maintenance	3/16, 17, 4/9, 10
flange mounting		operating range	3/8
cylinder	8/19	petroleum base	3/1-17
float center		pour point	3/8, 9
directional valve	10/17	power system	1/1
flooded suction	5/9	problems	3/9, 4/4-8
flow control valve		sampling	3/12-14
bleed-off circuit	9/13	soluble oil	4/3
cylinder synchronization	8/33	specific gravity	5/7
		synthetic	4/7
		transfer	3/16
		vapor pressure	5/3-5, 7, 8
		velocity	2/8, 9
		viscosity	3/3-7
		water base	4/2, 3
		water glycol	4/5, 6
		water-oil emulsion	4/2, 3
		wedge	3/6, 9

chapter / page#

fluid velocity

definition 2/8
flow rate relationship 2/8
unit of measure 2/8

foaming 3/14, 15, 4/8, 9

foot-pound 1/4

force

changes motion 1/1
cylinder 6/1, 2
definition 1/1
energy 1/2
formula 2/5
friction 1/1, 3/1, 2
inertia 1/2
intensity 1/5, 2/3, 4
multiplication 2/4, 5, 6/2
resistance 1/1
solenoid 10/7
static 1/1
transmission 2/2
unit of measure 1/1

formulas

circle area 6/2
cylinder force 6/1
cylinder horsepower 6/5
cylinder rod speed 6/2, 3, 8, 7/3
cylinder volume 6/2
force 2/5
hydraulic pressure 2/4
mechanical horsepower 6/5
motor horsepower 6/5, 6, 14/13
motor shaft speed 6/8, 14/12, 13
motor torque rating 14/11
overall efficiency 12/13, 13/19, 20
pascal's law 2/2
power 1/4
pressure 1/4
system horsepower 1/5
torque 6/3, 4, 14/11, 12
volumetric efficiency 13/19
work 1/4

4-land spool

directional valve 10/3

4-way directional control valve

application 10/1
conversion to 3-way 10/2
description 10/1
subplate mounted 10/13

free flow

check valve 8/1

pilot operated check valve 8/2, 3, 39

freewheeling 14/3

freezing

invert emulsion 4/3

frequency

electric current 10/6
range 10/26

friction

fluid 3/3
mechanical 3/1, 2
resistance 1/1, 2

full flow filtration 15/9, 10

g

gage

pressure scale 5/2
vacuum 5/6

gas

compression 8/8
expansion 8/9
molecules 2/1

gate valve 9/2

gear motor

description 14/3
external gear 14/4
gerotor 14/4, 5
internal gear 14/4
operation 14/4
running torque 14/11, 12
spur gear 14/4
starting torque 14/11, 12

gear pump

description 13/4, 5
external gear 13/5
gerotor 13/5, 6
helical gear 13/5
herringbone gear 13/5
internal gear 13/5
operation 13/5
overall efficiency 13/19, 20
spur gear 13/5
variable volume 13/8
volumetric efficiency 13/19

gerotor

motor 14/4, 5

pump	13/5, 6
gland	
drain	8/18
rod	8/17
globe valve	9/2

h

head pressure	5/9
heat	
dissipation	15/2
energy	1/2, 3, 6
exchanger	15/2
fluid oxidation	3/10-12
gas compression	8/8
pressure reducing valve	11/5
restrictor type flow control valve	9/5-7
solenoid	10/9
system	1/8, 2/9, 10, 3/5-7
transfer medium	15/3
heat generation	
avoidance	2/11
elbow	2/9
hydraulic system	
heat transfer	
reservoir	3/11
solenoid	10/5
helical gear	13/5
herringbone gear	13/5
hertz	10/6
hg	
pressure measurement	5/1
hi-lo system	12/8, 9, 13/4, 17
hi-torque low speed motor	14/14
high	
pressure lubrication vent	12/7
high vent	
piloted operated relief valve	12/7

horsepower	
cylinder	6/5, 6
description	1/5, 13/18
hydraulic	6/5, 6
mechanical	1/5, 6/5
motor	6/5, 6
saving	8/6, 12/9 10, 13/18
system	6/5

hum

ac	10/6
----------	------

hydraulic accumulator: see accumulator

hydraulic actuators	1/7, 2/4, 6/1-8, 8/17-39, 14/1-20
----------------------------------	--------------------------------------

hydraulic cylinder: (see cylinder)

hydraulic energy

description	1/2
mechanical energy conversion	1/7, 2/4
transformation	8/17
transmission	1/1-7, 2/2, 3, 5

hydraulic filter: see filter

hydraulic fluid	3/1, 8-17, 4/1-20, 15/1, 3, 4
------------------------------	-------------------------------

hydraulic motor

application	14/6-8
bi-directional	14/1
braking	11/8, 9, 14/7, 8
breakaway torque	14/11, 12
cavitation	14/8
description	6/3, 14/1
drains	14/1
electric motor comparison	14/10
freewheeling	14/3
gear type	14/3, 4
gerotor	14/4, 5
hi-torque low speed	14/14
hydrostatic transmission	14/10
make-up checks	14/8
operation	6/3, 14/1
overcenter axial piston	14/6
piston type	14/5
resistance	6/4
running torque	14/11, 12
shaft speed	14/12, 13
speed control	6/4, 8, 14/8
starting torque	14/11, 12
torque	6/3, 4, 14/10-12
torque rating	14/11
uni-directional	14/1
vane type	14/1, 2
variable displacement	14/6

hydraulic pressure: see pressure

hydraulic symbols: see appendix

hydraulic system

- dependability 2/10, 15/3
- heat generation 2/9, 10
- hi-lo 12/8, 9, 13/4, 17
- inefficiency 1/8, 2/9, 10, 12/6
- pressure compensated 13/17,18

hydrodynamic lubrication 3/3, 5, 6, 9

hydro-pneumatic accumulator

- adiabatic operation 8/8-10
- application 8/6-8
- bladder type 8/6
- description 8/3
- diaphragm type 8/5
- gas 8/5
- isothermal operation 8/8-10
- piston type 8/5
- precharge 8/10-15
- types 8/3
- usable volume 8/10-12

hydrostatic

- drive 14/9
- transmission 14/10,

hysteresis 10/26, 27

i

inches

- hg 5/1

index

- viscosity 3/7, 8

incompressible liquid 2/1

indicator

- filter 3/15, 16, 15/13 14

inefficiency

- system 1/8, 2/9, 10

inertia

- definition 1/2
- energy 1/2
- fluid 8/7, 18
- load 8/7
- resistance 1/2

inhibitors

- rust and oxidation 3/13, 14

inlet line

- pump 5/1

in-line piston pump 13/7

intake line: see suction line

intensifier

- description 2/5
- function 2/5
- operation 2/5

interlock

- safety 10/2

internal drain

- pressure valve 11/6

internal gear

- motor 14/4
- pump 13/5

intra-vane

- vane pump 13/3

isolator

- check valve 8/1
- 2-way directional valve 10/2

isothermal operation

- accumulator 8/8-10

invert emulsion

- adding water 4/10
- air retention 4/8, 9
- bacteria formation 4/5
- compatibility 4/8
- description 4/3
- dirt retention 4/9
- fire resistance 4/1
- foaming 4/8, 9
- freezing 4/4
- lubricity 4/6
- maintenance considerations 4/9, 10
- operating pressure 4/3
- operating temperature 4/1
- phase separation 4/4
- problems 4/4
- specific gravity 5/7
- synthetic fluid comparison 4/7
- vapor pressure 5/7
- viscosity 4/3
- water evaporation 4/6, 7
- water glycol comparison 4/5, 6

j	
jamming	
directional valve spool	10/9
jet	
diverter	10/30
pipe	10/30
jogging	
pump priming	5/9
k	
kinetic energy	
definition	1/3
examples	1/6
working	1/6
l	
LVDT	10/28-30
lacquer	
oxidation product	3/11
law	
conservation of energy	1/2
pascal's	2/2
leakage	
directional valve	8/33, 10/14
lipseals	8/18
make-up	8/33
motor	14/7, 17
piston rings	8/18, 36, 37
pump	13/4, 19
pump shaft seal	5/5
rod gland	8/33
spool valve	8/2, 11/2
suction line	5/5
variable volume pump	13/8
zero	8/2
lever	
directional valve actuator	10/3

life	
component	4/1, 6
pump	5/3
lift	
suction	5/9, 10
light energy	1/3
limit of visibility	
dirt	15/4-5
linear actuator	6/1, 6
linear variable differential transducer ...	10/28-30
lipseals	
cylinder	8/18
liquid	
acceleration to pump inlet	5/2
air escape	5/5
boiling	5/4
changing direction	2/9
characteristics	2/1
condensation	5/4
dissolved air	5/4, 5
energy transmission	3/1
entrained air	5/5
evaporation	5/ 4
force transmission	2/2
friction	3/1, 2
gaseous cavities	5/3
incompressibility	2/1
molecules	3/3
resistance	3/2
shape	2/1
supplying to pump inlet	5/ 2
vapor pressure	5/3, 4, 7, 8
viscosity	2/1, 3/3, 5-8, 4/3
load lock valve	8/39
loading	
vane	13/2-4
low vent	
pilot operated relief valve	12/7
l-shaped reservoir	15/1
lubrication	
boundary	3/1
component	3/6, 7
cylinder	8/37
description	3/1

chapter / page#

high pressure 3/9, 10
hydrodynamic 3/3, 5, 6, 9
interference 15/4
pump 5/3, 7
tank 15/4
valve 8/2

lubricity

description 3/2, 3
fire resistant fluid 4/1, 6
high pressure 3/9, 10
oxidation effect 3/10-12
viscosity 3/5
water effect 3/12, 13

lunge control 9/12

m

machines

description 1/1
energy transformation 1/7
energy transmission systems 1/7
work 1/4, 6-8

maintenance

filter 15/14

major area

cylinder piston 8/21

make-up check valve 14/8

manual operation

directional valve 10/3

manual override

directional valve 10/10, 11

mass 1/2

maximum allowable vacuum

description 5/7, 8
pump speed effect 5/6, 7
specific gravity effect 5/7

measurement

atmospheric pressure 5/1, 2
cylinder force 6/1, 2, 8/24, 28
discharge flow cylinder extending 8/22, 23
discharge flow cylinder retracting 8/24
hydraulic horsepower 6/5, 6
mechanical horsepower 1/5, 6/5
motor horsepower 6/5, 6, 14/13, 14
motor shaft speed 6/8, 14/12, 13

motor torque 6/4, 14/10-12
overall pump efficiency 13/19, 20
pressure 1/5
pump discharge 13/1
regeneration force 8/30-32
rod speed cylinder extending 8/24
rod speed cylinder retracting 8/23
system horsepower 6/5
vacuum 5/5, 6
vapor pressure 5/7
viscosity 3/7, 8
volumetric efficiency 13/19

mechanical

energy 1/2, 3
energy transmission 1/7
force multiplication 2/4, 6/2
horsepower 1/5, 6/5
motions 8/28
pressure 1/5

mercury

film thickness 3/2, 3
pressure measurement 5/1, 2

meter-in circuit 9/12, 13, 14/16-18

meter-out circuit 9/13, 14/18, 19

micrometre scale 15/4

migration

pump 5/3

minor area

cylinder piston 8/21

molecular energy 2/1

molecules

additive 3/9, 10
attractive forces 2/1, 3/3
gas 2/1
liquid 2/1, 2, 3/3
solid 2/2

motor

electric 14/10

motor

hydraulic: see hydraulic motor

motor spools

crossover 10/17, 18
float center 10/17

mounting			
cylinder	8/19	oil-in-water emulsion	4/2, 3
pump	5/1	open loop hydrostatic drive	14/9, 10
multiplication		open center	
force	2/4, 6/2	crossover	10/17
pressure	1/5, 2/5	directional control valve	10/13
		operating pressure	
n		antiwear additives	3/9, 10
naphthenic petroleum oil	3/1	water base fluid	4/6
needle valve		operating range	
description	9/2	hydraulic fluid	3/8
effect of opening	9/3, 4	operating temperature	
effect of pressure differential	9/3, 4	petroleum oil	3/11
nitrogen gas		water base fluid	4/6
hydro-pneumatic accumulator	8/5	operation	
noise		direct	11/7, 8
cavitation	5/3, 8	manual	10/3
electric motor	14/9	mechanical	10/3
pump	3/14, 15, 5/3, 8	pilot	7/2, 12/1
non-jump control	9/14	remote	11/7, 8
non-useful work	1/8	unsafe	15/3
nominal rating		orifice	
filter element	15/5, 6	component clearances	3/6
normally non-passing		description	9/1
directional valve	10/11, 12	effect of pressure differential	9/3
pressure valve	7/2, 11/1-10	effect of size	9/1, 2
normally passing		effect of temperature	9/10, 11
directional valve	10/11, 12	fixed	9/2
pressure valve	11/5, 9	pilot operated relief valve	12/1-3
		plugging	3/11, 15/3, 4, 7, 8
o		sharp edge	9/11
odor		variable	9/2
petroleum oil	3/12	overall efficiency	
water base fluid	3/12	pump	13/9-20
oil		overcenter axial piston	
oxidation check	3/12	motor	14/6
oiliness agent	3/9	pump	13/12
		overhead reservoir	15/1
		override	
		characteristics	12/1
		manual	10/3
		oxidation inhibitors	3/13, 14
		oxidation	
		heat effect	3/11

chapter / page#

inhibitor	3/13-14
oil	3/10-15
products	3/10-13
system location	3/10

p

paraffinic petroleum oil	3/1, 8
---------------------------------------	--------

pascal	
blaise	2/2

pascal's law	2/2
---------------------------	-----

pedal	
directional valve actuator	10/3

petroleum base fluid	
additives	3/9-11
adhesion	3/3
film thickness	3/2, 3
fire resistance	4/1, 2
foaming	3/14, 15
function	3/1
lubricant	3/1
lubricity	3/2, 3
maintenance considerations	3/16, 17
odor	3/12
operating range	3/8
oxidation	3/10-12
pour point	3/8, 9
problems	3/9-16
specific gravity	5/7
vapor pressure	5/7, 8
viscosity	3/3-8

phase separation	
invert emulsion	4/4

phosphate ester fluid	
air retention	4/8, 9
blend	4/7
compatibility	4/8
dirt retention	4/9
fire resistance	4/7
foaming	4/8, 9
lubricity	4/7
maintenance considerations	4/9, 10
problems	4/8 9
vapor pressure	5/7
water base comparison	4/7, 8

piggy-back valve	10/19
-------------------------------	-------

pilot-operated check valve	
application	8/3, 35
description	8/2
drain	8/2
free flow	8/2
operation	8/2, 3, 10/15
suspending load	8/2

pilot operated	
directional valve	10/4, 11, 18-20, 22-24

pilot operated pressure control valve	
counterbalance	12/3
description	12/1
differential unloading relief	
valve	8/16 17, 12/13
override	12/1
pressure reducing	12/3
relief	12/1-3
sequence	12/3
unloading	12/3

pilot operated relief valve	
dart	12/2
description	12/1, 2
differential unloading	8/16, 17, 12/6
drain	12/2
high ven	12/7
low vent	12/7
operation	12/2, 3
orifice	12/2, 3
pilot valve	12/2, 3
venting	12/6, 7

pilot pressure	
description	7/2, 12/2

pilot valve	
pilot operated relief valve	12/1-3

pin-vane	
vane pump	13/3

pipng	
system return side	8/24, 33

piston accumulator	8/5
---------------------------------	-----

piston motor	
description	14/5, 6
operation	14/5, 6
overcenter	14/6
running torque	14/12, 13
starting torque	14/12, 13
variable displacement	14/6

- piston pump**
 constant horsepower 13/8, 9
 description 13/6
 dual compensation 13/15
 leakage 13/16, 19
 maximum allowable vacuum 5/7
 pressure compensated 13/13-15
 seal 3/5
 stand-by pressure 13/17
 start-up viscosity 3/8, 11/3
 variable volume axial 13/11
 volume adjustment 13/11, 12
- piston seal wear** 8/5
- piston rings**
 cylinder 8/18
- plunger**
 directional valve actuators 10/3
- pneumatic energy**
 mechanical energy conversion 1/7
 transmission 1/6, 7, 2/2
- po check: see pilot operated check valve**
- poppet**
 check valve 8/1
- poppet valve**
 bladder accumulator 8/6
- port**
 primary 7/1
 secondary 7/1
- positional transducer** 10/28
- positive displacement pump**
 absorbing additional energy 2/8, 7/1
 construction 2/6
 operation 2/6, 7
 rotary type 2/7
- potential energy**
 definition 1/3
 examples 1/3, 2/6, 8/3, 9/1
 pressure 9/1, 3
 static force 2/2
 working energy transformation 1/6, 2/6, 8/3
- pound** 1/1
- pound inch** 6/3
- power**
 definition 1/4, 6/4, 5
 description 1/4, 6/4, 5
 formula 1/4, 6/5
 horsepower 1/5, 6/5, 6
 unit of measure 1/4, 6/5
- precharge**
 accumulator 8/10-15
- pressure**
 accompanying kinetic energy 1/6-8
 accumulator 8/3
 allowable vacuum 5/7
 atmospheric 5/1, 2
 barometric 5/4, 5
 centering 10/19, 20
 definition 1/5
 description 1/5, 6
 differential 9/3
 erratic 5/3
 formula 1/5, 2/4
 head 5/9
 hydraulic and mechanical combination 2/3
 intensification 8/37-39
 intensifier 2/5
 limiting to safe level 7/1
 maintaining 8/6, 7
 mechanical force conversion 2/4, 5
 pascal's law 2/2
 pilot 7/2
 potential energy 2/6, 8/3, 9/1, 3
 pump 13/3, 13-18
 resistance relationship 2/7, 8, 7/1
 storage 8/3
 suction 3/8
 switch 8/15
 thermal expansion 8/7
 transformation into heat 1/8, 9/6
 transmission 2/2, 4
 unit of measure 1/5, 2/2, 4
 working energy conversion 1/6
- pressure adjustment**
 direct operated pressure valve 11/1
 pilot operated pressure valve 12/2-4
 remote pilot 12/4
 spring-loaded accumulator 8/4, 5
- pressure compensated**
 flow control valve 9/5-11
 piston pump 13/13, 14
 vane pump 13/9, 10
- pressure control valve**
 adjustment 9/1
 brake valve 11/8, 9, 14/20, 21

check valve	8/1, 2
counterbalance	11/7, 8, 12/3
description	7/1, 2, 11/1
direct operation	11/7-9
normally non-	
passing	7/2, 10/11, 12, 11/1, 2, 5, 9
normally passing	10/11, 12, 11/5, 9
operation	7/2, 11/1-10, 12/2, 3
pilot operation	12/2-5
pressure reducing	11/5, 6, 10, 12/3
relief	7/2, 11/1-5, 10
remote operation	11/7-9
reverse flow	11/9
sequence	11/1, 12/3
unloading	11/7, 10, 12/6
pressure filter	
advantages	15/11
bi-directiona	15/11
bypass	15/12, 13
description	15/11
disadvantages	15/12
range of filtration	15/11
pressure gage	
accuracy	2/3
bourdon tube type	2/3
plunger type	2/3
pressure reducing valve	
application	11/5, 6
description	11/5
drain	11/6, 7
droop	11/6
pilot operated	12/3
remote adjustment	12/4
pressure scale	
absolute	5/2
gage	5/2
vacuum	5/5
pressure sensing	
direct operation	7/2, 11/7, 8
normally non-passing valve	7/2, 11/1, 5, 9
pilot operated pressure valve	12/1-4
remote	11/7, 8
primary port	
description	7/1
primary seal	
rod gland.	8/18

priming	
pump	5/8, 9
priority flow divider	9/14
proportional flow filtration	15/9
proportional valve	
description	10/28
direct operated	10/28
LVDT	10/30
operation	10/28
pilot operated propotional soleniod	10/28
proportional vs. servo	10/26
response	10/26
pseudo-cavitation	5/5
psi: see pressure	
psia: see pressure scale, absolute	
psig: see pressure scale, gage	
pump	
action	13/1
air bound	5/9
atmosphere relationship	5/1, 2, 6, 7
allowable vacuum	5/7
application	13/16, 17
bearing failure	13/10
case drain	13/4
cavitation	5/3, 5, 8
combination	13/20
description	13/1
discharge flow rate ...	13/4, 8, 14-16, 14/10, 17
flow rate decrease	13/17
gear type	13/4, 5
hi-lo system	12/8, 9, 13/4, 17
leakage	3/6, 19, 10/14, 13/4
life	4/1, 5/3
lift.	5/9, 10
location	5/1
low pressure range operation	13/20
lubrication	5/3, 9
maximum allowable vacuum	5/7, 8
mechanical efficiency	13/16, 19, 20
motor combinations	14/9, 10
noise	3/14, 5/3, 8
overall efficiency	13/19, 20
piston type	13/6-8
positive displacement	2/6, 7
pressure compensated	13/9, 13-16
priming	5/8, 9
pumping action	2/7, 8, 13/1
protection	15/10

resin
 oxidation product 3/11

resistance
 definition 1/1
 electrical current 10/7, 8
 flow 2/7, 8
 flow control valve 7/4
 friction 1/1, 2/9, 10, 3/1, 2
 hydraulic motor 6/4
 inertia 1/2
 liquid changing direction 2/9-11
 pressure relationship 2/9, 7/1
 viscosity 2/9, 3/3, 4

restriction
 flow 9/1, 7, 10/14, 11/3, 12/9

restrictor type pressure compensated flow control valve
 application 9/5-7
 description 9/5
 operation 9/6, 7

return line filter
 advantages 15/12
 bypass 15/12, 13
 description 15/12, 13
 disadvantages 15/12
 range of filtration 15/12

reverse flow
 flow control valve 9/14
 pressure valve 11/9, 10

rod
 rapid advance 8/20, 31, 32
 sag 8/20
 speed 6/3, 8, 8/21-24, 30

rod drift
 cylinder 10/15

rod gland
 description 8/17
 drain 8/18
 leakage 8/18
 loading 8/20
 seals 8/18

rod speed
 extending 8/24
 leakage effect 8/33-35
 retracting 8/23

rotary
 actuator 6/1, 6-8
 mechanical power 6/5

rotor
 electric motor 14/1

rotary positive displacement pump
 construction 2/7
 function 2/7
 operation 2/7

rpm: see hydraulic motor shaft speed

running torque 14/11, 12

rupture
 accumulator 8/13
 cylinder seal 8/5, 13

rust formation
 reservoir 3/13, 4/6, 15/7

rust inhibitor 3/13, 14

rusting 3/13

s

safety
 accumulator 10/12
 interlock 10/2

sag
 piston rod 8/20

sampling
 fluid 3/12, 13, 4/4-10

sandwich valve 10/20

saving power 8/6, 12/6, 13/8

saybolt universal seconds
 george m 3/4
 universal second (sus) 3/4
 viscosimeter 3/4

scotch yoke 6/7

sea level pressure 5/1

seals		shell and tube heat exchanger	15/2
lipseals	8/18	shock	
piston	8/18	accumulator absorbing	8/6, 7
piston rings	8/18	cause	8/7
primary	8/18	cylinder	8/18
rod gland	8/18	directional valve	10/20, 21, 23
“v” packing	8/18	hydraulic motor	14/19
wiper	8/18	reduction	10/21
secondary port		weight loaded accumulator	8/4
description	7/2	side loading	
sensing pressure		shaft	1/ 2, 6/6, 14/2
direct	11/7-8	silting	15/4
normally non-		simple	
passing pressure valve	7/ 2, 11/9	pressure control valve	11/2
normally passing pressure valve	11/9	simple relief valve	
pilot operated pressure valve	12/2-4	adjusting	12/5, 6
remote	11/7-8	cracking pressure	11/4, 12/4
servo valve		description	11/1
description	10/30	pump wear effect	11/3, 4
feedback	10/30	viscosity effect	11/3
first stage spool designs	10/30, 31	single	
line to line condition	10/31	acting cylinder	8/20, 10/2
operational	10/31	rod cylinder	8/20
overlapped condition	10/31	sizes	
proportional vs. servo	10/26	directional control valves	10/2, 3
response	10/26	sleeve	
second stage spool designs	10/31	cushion	8/19
underlapped condition	10/31	slippage	13/20
setting		sludge	
pressure compensator	13/9, 10	oxidation product	3/11
relief valve	12/5, 6	soap	
volume adjustment	12/8, 9	oxidation product	3/11
sequence valve		solenoid	
application	11/1	ac hum	10/6
description	11/1	air gap	10/4
drain	11/6, 7	armature	10/5
pilot operated	12/3	buzzing	10/6, 10
remote adjustment	12/4	c frame	10/4, 6, 7
shading coil		c stack	10/7
solenoid	10/6	chattering	10/6, 10
shaft side loading		ct.	10/4
rotary actuators	6/6	description	10/4
vane motor	14/2	encapsulated	10/5
vane pump	13/2	force	10/6, 8
shaft speed		heat	10/5, 7-10
hydraulic motor	6/3, 4, 8, 14/12, 13		
sharp edge orifice	9/11		

chapter / page#

high ambient temperature 10/10
holding current 10/8
inrush current 10/7, 8
laminations 10/7
limitations 10/8, 9
low voltage 10/10
manual override 10/10, 11
shading coil 10/6
t plunger 10/4
ventilation 10/10
wear pattern 10/9
wet armature 10/5

solid

force transmission 2/2
molecules 2/1

soluble oil

description 4/3
lubricity 4/3
viscosity 4/3

sound energy 1/2, 3

source

dirt contamination 3/15, 16, 15/7
energy 1/2, 3
fire 4/1, 2

spear

cushion 8/19

specific gravity

description 5/7
maximum allowable vacuum effect

speed

actuator 7/3, 4
motor shaft 6/3, 4, 8
rod 6/2, 3, 8

speed control: see flow control valve

spontaneous ignition 4/2-7

spools

closed center 10/13
directional valve 10/3
float center 10/17
4-land 10/3
open center 10/13
tandem center 10/15-17
3-land 10/3
2-land 10/3

spring centering

directional valve 10/19, 20

spring loaded

accumulator 8/4, 5
vane 13/3

spring offset

directional valve 10/11, 12

spring return cylinder 6/7

sprocket actuator 6/8

spur gear 13/5, 14/4

ssu 3/4

starting torque 14/11, 12

starving

motor 14/9
pump 5/2

states

energy 1/3

static force 2/2

sticking

spool 3/11
valve 10/9

stop tube

cylinder 8/20

storage

components 3/15
fire resistant fluid 4/9
petroleum oil 3/16
pressure 8/3

stored energy 1/3

stroke

adjusters 8/19
cylinder 6/1, 2

stroke adjustment

directional valve 10/21

subplate mounted

directional valve 10/3

suction

definition	5/10
flooded	5/9
lift	5/9, 10
operation	5/1-9
pressure	5/1, 2
specification	5/5

suction filter

advantages	15/11
bypass	15/12, 13
description	15/11
disadvantages	15/11
range of filtration	15/11

suction line

air purging	5/9
allowable vacuum	5/7
blocked	5/8
leak	5/5, 9
pump	5/1
velocity	5/3, 4
viscosity	5/4

suction specification

pump	5/5
------------	-----

sump 15/1**sump strainer**

advantages	15/10
description	15/10
disadvantages	15/10
range of filtration	15/10

surface type filter element

absolute rating	15/6, 7
application	15/6
description	15/6
pore size distribution	15/6
types	15/6

sus 3/4**suspending a load** 8/2**switch**

pressure	8/15
----------------	------

symbols: see appendix**synchronization**

cylinder	8/33
hydraulic motors	14/18

synthetic fire resistant fluid

air retention	4/8, 9
compatibility	4/8
description	4/2-7
dirt retention	4/9
fire resistance	4/7
lubricity	4/7
maintenance considerations	4/9
water base fluid comparison	4/7, 8

synthetic fluids 4/7**system**

energy transmission	1/6, 7
hi-lo	12/8, 9, 13/17
inefficiency	1/7
logic	10/13
see also hydraulic system	

t**t plunger** 10/4**tandem**

center	10/15-17
cylinder	8/21, 27, 28

telescoping cylinder 8/21**temperature**

ambient	10/10
effect on flow	9/10
valve setting effect	11/3
viscosity relationship	3/3, 4

temperature compensation

metal rod	9/10
sharp edge orifice	9/11

temperature pressure compensated

flow control	9/11
--------------------	------

tension load

cylinder	8/20
----------------	------

thermal expansion 8/7**3-land spool**

directional valve	10/3
-------------------------	------

3-way directional valve

application	10/1, 2, 11, 12
description	10/1, 2

chapter / page#

threshold 10/27

thrust load
cylinder 8/20

tie rod mounting
cylinder 8/19

torque
breakaway 14/11, 12
description 6/3
electric motor 14/1
hydraulic motor 14/10-12
measurement 6/3, 4
rating 14/11
running 14/11, 12
starting 14/11, 12
unit of measure 6/3, 8

torque rating
hydraulic motor 14/11

torricelli
evangelista 5/1

transferring
fire resistant fluid 4/9
petroleum oil 3/16

transition
directional control valve 10/17

transmission
hydrostatic 14/10, 11

two
position 10/2
way 10/2

2:1 cylinder
description 8/30, 31
regeneration 8/30-32

u

unbalanced pump 13/9

uni-directional hydraulic motor 14/1

unit of measure
atmospheric pressure 5/2
flow rate 2/8
force 1/1

power 1/5
pressure 1/5, 3/2
torque 6/3, 8
vacuum 5/5, 6
vapor pressure 5/3, 4
velocity 2/8, 9
work 1/4

unloading
pump 11/7, 12/6

unloading valve
application 11/7
description 11/7
drain 11/6, 7
hi-lo system 12/8
pilot operated 2/3
remote adjustment 12/4

usable volume
accumulator 8/10-12
control of discharge 8/9, 10
description 8/10, 11
precharge effect 8/10

useful work 1/8

v

“v” packing
cylinder seal 8/18

vacuum
description 5/5, 6
determination 5/5, 6
gage 5/6
maximum allowable 5/7, 8
measurement 5/5, 6
pressure scale 5/5
unit of measure 5/5, 6

valve
actuators 10/3
back pressure check 8/39, 10/24, 25
brake 11/8, 9
bypass check 8/1
check 8/1-3
counterbalance 11/2, 8
definition 7/1
differential unloading relief 8/16
directional control 7/3, 10/1-32
filter bypass 15/12, 13
flow control 7/4, 9/1-14
4-way directional 10/1-3, 12, 13, 18

gate	9/2	vane loading	13/2-4
globe	9/2	variable volume	13/8-10
leakage	10/14, 11/ 6	volumetric efficiency	13/19
load lock	8/ 3	vapor	
needle	9/2-4	bubbles	5/5
normally non-passing 7/2, 10/11, 12, 11/1-4, 9		exploding	8/5
normally passing	10/11, 12, 11/5-9	ignition	4/2
pilot	10/4, 11, 18-20, 12/1-5	vapor pressure	
pilot operated check	8/2, 3, 39	boiling relationship	5/4
pilot operated pressure control	12/1-13	description	5/3
pilot operated relief	12/1-6	maximum allowable vacuum effect	5/7, 8
pressure compensated flow control	9/1-14	measuring	5/5, 6
pressure control	7/2, 11/1-10, 12/1-13	pressure effect	5/4
pressure reducing	11/5, 6, 12/3	temperature effect	5/4
relief	7/2, 11/1, 5, 7, 10	unit of measure	5/4
sequence	11/1, 12/3	variable displacement axial piston motor	14/6
temperature pressure compensated		variable orifice	9/2
flow control	9/11	variable volume axial piston pump	
3-way directional	10/1, 2	description	13/11
2-way directional	10/1, 2, 11, 12	operation	13/11, 12
unloading	11/7, 12/3	overcenter	13/12
vane loading	13/2-4	variable volume vane pump	
vane motor		description	13/9
balanced design.	14/2	operation	13/9
cartridge assembly	14/2	varnish	
description	14/1	oxidation product	3/11
freewheeling	14/3	varying torque	
operation	14/1, 2	hydraulic motor	14/6, 7
runningtorque	14/11, 12	velocity	
starting torque	14/11, 12	definition	2/8
vane extension	14/2, 3	flow rate relationship	2/8, 9
vane pump		unit of measure	2/8
angled vane	13/4	vent	
balanced design	13/2	high	12/7
cartridge assembly	13/2	low	12/7
chamfered vane	13/3	ventilation	10/10
constant horsepower	13/18	venting	
description	13/1	relief valve	5/9, 10/14, 12/6, 12
displacement	13/2, 3	vibrations	
double pump	13/4	hydraulic system	5/3
dual vane	13/3	viscosity index	3/7, 8
horsepower limiting	13/18		
intra-vane	13/3		
leakage	13/4, 19		
maximum allowable vacuum	5/7, 8		
operation.	13/1, 2		
overall efficiency	13/19, 20		
pin-vane	13/3		
pressure compensated.	13/13, 14		
seal	13/1, 3		
spring loaded vane	13/4		
stand-by pressure	13/17, 18		
start-up viscosity	3/8		

viscosimeter 3/4

viscosity

- clearance flow effect 3/6, 7
- definition 3/3
- fluid film 3/2, 5
- flow control 3/6, 7
- heat generation 3/5
- hydraulic system 3/3
- hydrodynamic lubrication 3/5, 6
- index 3/7, 8
- invert emulsion 4/3
- lubricity 3/5
- measurement 3/4
- pressure relationship 3/4, 5
- pump discharge 3/8
- room temperature 3/3, 4
- saybolt universal second (sus) 3/4
- soluble oil 4/3
- start-up 3/8
- system effect 3/3
- temperature relationship 3/3, 4

voltage

- solenoid 10/10

volume

- cylinder 6/2
- usable 8/10-12

volume adjustment

- adjusting 13/11, 12
- piston pump 13/11, 12
- vane pump 13/9
- wear effect 5/3

volumetric efficiency 13/19

w

water

- boiling point 5/4
- contamination 3/9, 12, 13
- contamination check 3/12
- cooler 15/2
- evaporation 5/4
- film thickness 3/2
- hydraulic fluid 4/2
- lubricant 3/2, 4/2
- lubricity 3/2
- oxidation effect 3/10, 11
- settling 3/12
- specific gravity 5/7
- vapor pressure 5/3, 4

water base fluid 4/2-10

water glycol

- adding water 4/10
- air retention 4/8, 9
- compatibility 4/8
- description 4/5
- dirt retention 4/9
- fire resistanc 4/7
- foaming 3/14, 15, 4/8, 9
- invert emulsion comparison 4/5
- lubricity 4/6
- maintenance considerations 4/9, 10
- operating pressure 4/6, 5/8
- operating temperature 4/6
- specific gravity 5/7
- synthetic fluid comparison 4/7, 8
- vapor pressure 5/7, 8
- viscosity 4/5
- water evaporation 4/6

water-in-oil emulsion 4/2-3

water vapor

- reservoir 15/8

watt

- james 1/5

wear

- component 3/1-15, 15/4
- cylinder 8/33
- dart 12/4, 5
- hydraulic motor 14/22, 23
- pattern 10/9
- piston accumulator 8/13
- pump 5/3
- resistant additive 3/9, 10
- spring-loaded accumulator 8/5

wedge

- fluid 2/6, 7, 9, 10, 3/5, 6, 9

weight-loaded accumulator 8/3

welding

- mating surfaces 3/2

wet armature solenoid

- ac hum 10/6
- armature 10/5
- blockage 10/9, 10
- continuous duty 10/8
- description 10/5
- eddy currents 10/6, 7

high ambient temperature	10/10
inrush current	10/7, 8
laminations	10/7
low voltage	10/10
manual override	10/10, 11
shading coil	10/6
windings	
solenoid	10/5
wiper seal	
contamination source	15/9
cylinder	8/18
wire mesh element	
cleaning	3/17
work	
definition	1/4
description	1/4
formula.	1/4
non-useful	1/8
rate	1/4
unit of measure	1/4
useful	1/8
working energy	
applied to cylinders	6/2
applied to motors	6/3
changes form	1/6, 7, 2/8-11, 8/18
control	7/1
definition	1/6
development.	2/6
z	
zero-leakage	
check valves	8/2
cylinder lipseals	8/18
leakage seals	3/6, 33

notes

notes

notes